

L Number	Hits	Search Text	DB	Time stamp
1	358	73/818.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
2	1910	376/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
3	371	376/247.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
4	415	376/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
5	108	73/862.621.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
6	109	73/862.636.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
7	107	73/862.637.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
8	150	73/862.045.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
9	138	73/862.046.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
10	4	(73/818.ccls. 376/245.ccls. 376/247.ccls. 376/249.ccls. 73/862.621.ccls. 73/862.636.ccls. 73/862.637.ccls. 73/862.045.ccls. 73/862.046.ccls. ) and ( ((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and ((meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near4 (clamp\$4 hold\$4 grip\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:41
-	341	73/818.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	1415	376/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39

-	338	376/247.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	375	376/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	87	(73/818.ccls. 376/245.ccls. 376/247.ccls. 376/249.ccls.) and ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 15:28
-	14296	((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 17:09
-	2098	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))) same ((clamp\$4 grip\$4 hold\$4 support\$4) near4 (force pressure load\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 15:53
-	419	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))) same ((clamp\$4 grip\$4 hold\$4 support\$4) near4 (force pressure load\$4))) and (73/\$6.ccls. or 376/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 15:55
-	699	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))) same ((clamp\$4 grip\$4 hold\$4 ) near4 (force pressure load\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 16:13
-	156	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))) same ((clamp\$4 grip\$4 hold\$4 ) near4 (force pressure load\$4))) and (73/\$6.ccls. or 376/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:07
-	45	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))) same ((clamp\$4 grip\$4 hold\$4 ) near4 (force pressure load\$4) near6 (case frame cover\$4 casing housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 16:58
-	156	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4))) same ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:10
-	14228	((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge))) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:06
-	105	73/862.621.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39

-	108	73/862.636.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	101	73/862.637.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	2074	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and (73/\$6.ccls. or 376/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:07
-	273	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and (73/\$6.ccls. or 376/\$6.ccls.) and ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:12
-	15	(73/862.621.ccls. 73/862.636.ccls. 73/862.637.ccls.) and ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:13
-	1159	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/05 17:15
-	227	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing)).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 14:50
-	885	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing)) and (computer process\$4 cpu (central near2 unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 15:08
-	662	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and ((clamp\$4 grip\$4 holding grasp\$4) near8 (case frame cover\$4 casing housing)) and (computer process\$4 cpu (central near2 unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 15:19
-	665	(( (measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) same ((template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing)))) and ((clamp\$4 grip\$4 holding grasp\$4) near8 (case frame cover\$4 casing housing)) and (computer process\$4 cpu (central near2 unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 15:20

-	197	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and ((clamp\$4 grip\$4 hold\$4 ) near8 (case frame cover\$4 casing housing)) and (computer process\$4 cpu (central near2 unit))) and (73/\$6.ccls. or 376/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 15:21
-	146	73/862.045.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	123	73/862.046.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:39
-	156	(( ((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure bar rod part element) near8 (introduce\$4 insert\$4 fit\$4) near6 (case frame cover\$4 casing housing))) and ((clamp\$4 grip\$4 holding grasp\$4) near8 (case frame cover\$4 casing housing)) and (computer process\$4 cpu (central near2 unit))) and (73/\$6.ccls. or 376/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 15:21
-	0	20030051561.URPN.	USPAT	2003/06/06 16:47
-	31	((measur\$4 determin\$4 estimat\$4 detect\$4 monitor\$4 sens\$4) near4 (pressure force load\$4)) same ((load near2 cell) or (strain near2 (gage gauge)) near8 (template plate\$2 frame armature arrangement structure part element) near6 (introduce\$4 insert\$4 fit\$4)) same ((flexible elastic deformable) near6 (elongated square bar rectangular))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/06 17:15
-	117	((gage gage) near6 force near6 (insert\$4 introduc\$4 interpolat\$4 penetrat\$4 inside) near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 15:14
-	0	((gage gage) near6 force near6 (insert\$4 introduc\$4 interpolat\$4 penetrat\$4 inside) near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4) near7 (simultaneous\$4 synchron\$4 instantaneous\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 15:16
-	1	((gage gage) near6 force near6 (insert\$4 introduc\$4 interpolat\$4 penetrat\$4 inside) near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:04
-	152	((gage gage) near6 forc\$4 near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:03
-	11	((gage gage) near6 forc\$4 near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4)) same (clamp\$4 grip\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 15:35
-	190	((gage gage) near6 forc\$4 near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4 (?ame near time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:07

-	0	((((gauge gage) near6 forc\$4 near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4 (?ame near time))) same ((insert\$4 introduc\$4 interpolat\$4 penetrat\$4 inside) near4 (housing case casing cover\$4 frame structure container)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:08
-	0	((((gauge gage) near6 forc\$4 near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4 (?ame near time))) same ((insert\$4 introduc\$4 interpolat\$4 penetrat\$4 inside) near4 (housing case casing cover\$4 frame structure container receptacle)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:09
-	16	((((gauge gage) near6 forc\$4 near6 (meter\$4 measur\$4 estimat\$4 sens\$4 detect\$4 determin\$4)) same (simultaneous\$4 synchron\$4 instantaneous\$4 (?ame near time))) and ((insert\$4 introduc\$4 interpolat\$4 penetrat\$4 inside) near4 (housing case casing cover\$4 frame structure container receptacle)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/09 16:10
-	8050	((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:36
-	2604	((((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))) and ((meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4) near4 (load\$4 forc\$4 pressur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:38
-	372	(((((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))) and ((meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4) near4 (load\$4 forc\$4 pressur\$4))) and ((simultaneous\$2 concurrent multiple) near4 (meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:50
-	107	(((((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))) and ((meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4) near4 (load\$4 forc\$4 pressur\$4))) and ((simultaneous\$2 concurrent multiple) near4 (meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4))) and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:53
-	4	(((((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))) and ((meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4) near4 (load\$4 forc\$4 pressur\$4))) and ((simultaneous\$2 concurrent multiple) near4 (meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4))) and 73/\$6.ccls.) and (load near2 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:54
-	12	(((((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))) and ((meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4) near4 (load\$4 forc\$4 pressur\$4))) and ((simultaneous\$2 concurrent multiple) near4 (meter\$4 measur\$4 detect\$4 determin\$4 estimat\$4 asses\$4 sens\$4))) and (load near2 cell)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:54
-	2	("5199518").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 13:50
-	351	73/818.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	1905	376/245.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11

-	370	376/247.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	414	376/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	107	73/862.621.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	109	73/862.636.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	106	73/862.637.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	149	73/862.045.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	135	73/862.046.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:12
-	17	(73/818.ccls. 376/245.ccls. 376/247.ccls. 376/249.ccls. 73/862.621.ccls. 73/862.636.ccls. 73/862.637.ccls. 73/862.045.ccls. 73/862.046.ccls. ) and ((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:38
-	221	(73/\$6.ccls. 376/\$6.ccls.) and ((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:56
-	31	((73/\$6.ccls. 376/\$6.ccls.) and ((housing case casing) near4 (insert\$4 introduc\$4 penetrat\$4 inside inner) near4 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure))) and ((meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:59
-	311	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:57
-	255	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and ((meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:10

-	214	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and ((meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near4 (clamp\$4 hold\$4 grip\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10:41
-	0	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and ((meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near4 (clamp\$4 hold\$4 grip\$4) near6 series)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:12
-	11	5500535.URPN.	USPAT	2004/03/31 11:36
-	2	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and ((meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near4 (clamp\$4 hold\$4 grip\$4)) and (reusable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:36
-	0	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and reusable and removable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:37
-	0	((multiple many plural two three four five six ten twelve) near6 (meter\$4 detector transducer sensor) near4 (load\$4 force\$4 pressure) near6 (clamp\$4 hold\$4 grip\$4))) and reusable and 73/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:37